

t s1/9, k/all

1/9,K/1

DIALOG(R) File 351:Derwent WPI

(c) 2001 Derwent Info Ltd. All rts. reserv.

011407719 **Image available**

WPI Acc No: 1997-385626/199735

XRPX Acc No: N97-321004

Multi-functional hand held portable telephone - includes hand held audio visual data entry unit with camera reading sensor on rotational pivot with MPEG-4 compatible low bit rate audio visual interactive communications algorithm

Patent Assignee: ROBB G D (ROBB-I); AVT AUDIO VISUAL TELECOMMUNICATIONS CORP (AVTA-N); AVT AUDIO VISUAL (AVTA-N)

Inventor: ROBB G D

Number of Countries: 075 Number of Patents: 006

Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week
WO 9726744	A2	19970724	WO 97CA29	A	19970117	199735 B
AU 9713636	A	19970811	AU 9713636	A	19970117	199747
WO 9726744	A3	19970918	WO 97CA29	A	19970117	199814
EP 875109	A2	19981104	EP 97900179	A	19970117	199848
			WO 97CA29	A	19970117	
CN 1208529	A	19990217	CN 97191724	A	19970117	199926
US 6177950	B1	20010123	WO 97CA29	A	19970117	200107
			US 98101790	A	19980716	

Priority Applications (No Type Date): GB 96804 A 19960117

Cited Patents: EP 651543; GB 2289555; JP 6141306; US 5491507; No-SR.Pub

Patent Details:

Patent No Kind Lan Pg Main IPC Filing Notes

WO 9726744 A2 E 47 H04M-001/00

Designated States (National): AL AM AT AU AZ BA BB BG BR BY CA CH CN CU CZ DE DK EE ES FI GB GE HU IL IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MD MG MK MN MW MX NO NZ PL PT RO RU SD SE SG SI SK TJ TM TR TT UA UG US UZ VN

Designated States (Regional): AT BE CH DE DK EA ES FI FR GB GR IE IT KE LS LU MC MW NL OA PT SD SE SZ UG

AU 9713636 A H04M-001/00 Based on patent WO 9726744

WO 9726744 A3 H04M-001/00

EP 875109 A2 E H04M-001/72 Based on patent WO 9726744

Designated States (Regional): AT BE CH DE DK ES FI FR GR IE IT LI LU MC NL PT SE

CN 1208529 A H04M-001/72

US 6177950 B1 H04N-007/14 Based on patent WO 9726744

Abstract (Basic): WO 9726744 A

The personal **interactive** audio visual audio data entry system includes a hand held audio visual data entry unit. The hand held unit includes a camera reading sensor on a rotational pivot for sensing images in various positions allowing **interactive** communication, MPEG-4 compatible audio video coder that is designed for audio visual communication over the GSM digital cellular network. It uses a low bit rate audio visual **interactive** communications algorithm which allows various forms of wireless communications, **commands** and/or data and for produces input signals in response to the sensed **commands** and/or

data, rewritable storage and/or PCMCIA ports and associated controller for information relating to selectable items.

A controller is connected to receive and process the input signals from the sensor for responding to the **commands** to control the hand held unit and/or to the data to select an item and a display screen for displaying a **user** readable representation of the **commands** and/or stored information for the selected item and a telecommunications interface for telephonic transmission of information relating to **interactive** audio visual communications and selected item or items from the storage to a remote processing centre and for telephonic transmission of audio visual information and/or information relating to selectable items from the remote processing centre to the storage.

USE/ADVANTAGE - Provides telephone with integral reading head, controller, rewritable storage, display, touch screen area, keypad and telecommunications interface to enable self contained and efficient capture and display of information. Display allows **user** to verify and/or view data being captured without taking eyes off area in which data capture is taking place.

Dwg.1/10

Title Terms: MULTI; FUNCTION; HAND; HELD; PORTABLE; TELEPHONE; HAND; HELD; AUDIO; VISUAL; DATA; ENTER; UNIT; CAMERA; READ; SENSE; ROTATING; PIVOT; COMPATIBLE; LOW; BIT; RATE; AUDIO; VISUAL; INTERACT; COMMUNICATE; ALGORITHM

Derwent Class: T01; W01; W02

International Patent Class (Main): H04M-001/00; H04M-001/72; H04N-007/14

International Patent Class (Additional): H04N-007/14

File Segment: EPI

Manual Codes (EPI/S-X): T01-J08A; W01-C01D3C; W01-C01G4; W01-C01P;

W02-F08B3

... includes hand held audio visual data entry unit with camera reading sensor on rotational pivot with MPEG-4 compatible low bit rate audio visual interactive communications algorithm

...Abstract (Basic): The personal **interactive** audio visual audio data entry system includes a hand held audio visual data entry unit. The hand held unit includes a camera reading sensor on a rotational pivot for sensing images in various positions allowing **interactive** communication, MPEG-4 compatible audio video coder that is designed for audio visual communication over the GSM digital cellular network. It uses a low bit rate audio visual **interactive** communications algorithm which allows various forms of wireless communications, **commands** and/or data and for produces input signals in response to the sensed **commands** and/or data, rewritable storage and/or PCMCIA ports and associated controller for information relating to selectable items...

...A controller is connected to receive and process the input signals from the sensor for responding to the **commands** to control the hand held unit and/or to the data to select an item and a display screen for displaying a **user** readable representation of the **commands** and/or stored information for the selected item and a telecommunications interface for telephonic transmission of information relating to **interactive** audio visual communications and selected item or items from the storage to a remote processing centre and for telephonic transmission of audio visual information and...

...head, controller, rewritable storage, display, touch screen area, keypad and telecommunications interface to enable self contained and efficient

capture and display of information. Display allows **user** to verify and/or view data being captured without taking eyes off area in which data capture is taking place...

?